

SAFETY DATA SHEET

SECTION 1 - COMPANY AND PRODUCT IDENTIFICATION

PRODUCT

Product Name: GLYCOL ETHER DM

Control Number: 00180

Product Description: Solvent

COMPANY IDENTIFICATION

Supplier: Chemical Distribution Solutions

1125 Oak St. Ste. 303

Conway, AR 72032

24 Hour Emergency Telephone: (800) 424-9300 CHEMTREC

General Information: (501) 978-1111

SECTION 2- HAZARDS IDENTIFICATION

GHS Classification:

[Health]

Acute toxicity, Oral Category 4

[Environmental]

None

[Physical]

Flammable liquids Category 4

GHS Label elements, including precautionary statements

Pictograms



Signal Word: Warning

Hazard statement(s)

H227 Combustible liquid

H361 Suspected of damaging fertility or the unborn child.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

SECTION 3 - HAZARDOUS INGREDIENTS

CHEMICAL NAME

CAS Number

%WT

Diethylene glycol monomethyl ether

111-77-3

90 – 100%

SAFETY DATA SHEET

SECTION 4 - FIRST AID MEASURES

Eyes: Flush eyes with water as a precaution. Get medical attention if irritation occurs.

Skin: Wash off with soap and plenty of water. Get medical attention if symptoms occur.

Inhalation: Move exposed person to fresh air. If not breathing provide artificial respiration or oxygen by trained personnel. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Do not induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing Media: To extinguish use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Fire Fighting Procedures: Cool exposed containers with water spray. Wear self-contained breathing apparatus (SCBA) operated in pressure demand mode and full bunker firefighter's protective clothing.

Fire and Explosion Hazards: : Containers can rupture and explode under fire conditions due to pressure and vapor buildup. Heated vapors may form explosive mixture with air.

SECTION 6 - ACCIDENTAL RELEASE and DISPOSAL MEASURES

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas. Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

SECTION 7 - STORAGE AND HANDLING

Precautions To Be Taken In Handling and Storage: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist.

Other Precautions: Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Take measures to prevent the build up of electrostatic charge.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls: Provide ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits indicated below. The level of protection and types of controls will vary depending upon potential exposure conditions.

Exposure Limits: Diethylene glycol monomethyl ether 100 mg/m³ ACGIH: No OSHA data

Personal Protective Equipment (PPE):

Eyes Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts..

Skin: If Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product

Clothing: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respirators: Where adequate ventilation is not available an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard, 29 CFR 1920.134. In confined areas, use a self-contained breathing apparatus.

SAFETY DATA SHEET

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Flash Point: 189 °F	Flammability Limits: Lower: 2 Upper: 23
Autoignition Temperature: No available data	Specific Gravity: 1.02
Boiling Point Range: 374-381 °F	Volatile %: No available data
Melting Point: -94 °F	Evaporation Rate (BuAc=1): <0.1
Vapor Pressure: <1 mmHg	pH: No available data
Vapor Density (Air-1): 4.2]	Solubility in Water: miscible
Odor/Appearance: Clear light yellow liquid with mild odor	

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability: Stable under normal use and temperature conditions.
Conditions to Avoid: Keep away from heat, flame and other potential ignition sources.
Materials to Avoid: Strong oxidizers.
Decomposition Products: When combusted, oxides of carbon and various hydrocarbons.

SECTION 11 - TOXICOLOGICAL INFORMATION

Signs and Symptoms of Overexposure:

Skin: Contact can cause redness, irritation and drying. Severity depends on the amount and duration of exposure.
Eyes: Vapors may be irritating to the eyes. Liquid contact will cause stinging and tearing.
Inhalation: Excessive inhalation of high concentrations may be harmful. Mist or vapor can irritate the throat and lungs. Breathing this material may cause central nervous system depression.
Ingestion: If swallowed this material may irritate the mucous membranes of the mouth throat and esophagus. Aspiration of this material into the lungs may result in damage or death.

Acute oral toxicity:

LD50 rat > 7,000 mg/kg

Acute inhalation toxicity:

No available data.

Acute dermal toxicity:

LD50 rabbit: 9,404 mg/kg

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: Toxicity to fish LC50 - Lepomis macrochirus - 7,500 mg/l - 96 h .
Bio-accumulative potential: Bioaccumulation of this product is unlikely. This product is readily biodegradable.
Mobility: This product is moderately mobile in soil and likely to volatilize from soil surface.

SECTION 13 - DISPOSAL CONSIDERATIONS

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

SAFETY DATA SHEET

SECTION 14 · TRANSPORTATION

U.S. DEPARTMENT OF TRANSPORTATION (Road or Rail):

Proper Shipping Name: Combustible liquid, n.o.s. (2-(2-Methoxyethoxy)ethanol)
Hazard Class: Combustible Liquid
NA Number: 1993
Packaging Group: 3

SECTION 15 · REGULATORY INFORMATION

US FEDERAL REGULATIONS

Comprehensive Environmental Response and Liability Act (CERCLA)

This material is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA).

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. The reportable quantity (RQ) for this material has no published data.

Toxic Substance Control Act (TSCA): All components of this product are listed on the TSCA inventory list.

SARA Section 311/312 (40 CFR 370) Hazard Categories:

Acute Health Hazard, Chronic Health Hazard.

SARA Section 313 (40 CFR 372) Hazard Categories: This product contains the following toxic chemical(s) subject to reporting requirements: (2-(2-Methoxyethoxy)ethanol)

Clean Water Act: This product contains Glycol Ether a chemical class listed under the CWA.

Clean Air Act: None of the chemicals in this product are listed as Hazardous Substances under the CAA.

California Prop 65: This product contains no chemicals known by the State of California to cause cancer, birth defects or other reproductive harm.

SECTION 16 · OTHER INFORMATION

MSDS Revision Date: December 2014

National Fire Protection Association (NFPA) Ratings: This information is intended solely for the use of individuals trained in the NFPA system.

Health: 1
Flammability: 2
Reactivity: 0

The data in this Safety Data Sheet relates to the specific material designated and does not relate to its use in combination with any other material or process. The data contained is believed to be correct. However, since conditions of use are outside our control it should not be taken as warranty or representation for which Chemical Distribution Solutions assumes legal responsibility. This information is provided solely for your consideration, investigation, and verification.