

SAFETY DATA SHEET

CHEMICAL DISTRIBUTION SOLUTIONS

SECTION 1 - COMPANY AND PRODUCT IDENTIFICATION

PRODUCT

Product Name: TRIETHANOLAMINE 85%
Control Number: 00286
Product Description: Ethanol Amine

COMPANY IDENTIFICATION

Supplier: Chemical Distribution Solutions
1125 Oak St. Ste. 303
Conway, AR 72032

24 Hour Emergency Telephone: (800) 424-9300 CHEMTREC
General Information: (501) 978-1111

SECTION 2- HAZARDS IDENTIFICATION

GHS Classification:

[Health]

[Environmental]

[Physical]

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

Pictograms

Signal Word: None

Hazard statement(s)

Precautionary statement(s)

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS Number	%WT
Triethanolamine	102-71-6	85

SECTION 4 - FIRST AID MEASURES

FIRST AID PROCEDURES:

Eye Contact: Flush eyes with plenty of water as a precaution.

Skin Contact: Wash exposed area with soap and water.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water.

SECTION 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Hazardous combustion products: Oxides of carbon and nitrogen

Fire Fighting Procedures: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Unusual Fire and Explosion Hazards: Containers can build up pressure if exposed to heat and/or fire. Use water spray to keep fire-exposed containers cool. Containers may rupture in the heat of a fire.

SECTION 6 - ACCIDENTAL RELEASE and DISPOSAL MEASURES

Small Spill: Use appropriate tools to put the spilled liquid into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill: Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV.

SECTION 7 - STORAGE AND HANDLING

Handling: Do not ingest. Do not breathe vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes,

Storage: Keep container dry. Keep container tightly closed. Keep in a cool, well-ventilated place.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls: Provide adequate ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits indicated below. The level of protection and types of controls will vary depending upon potential exposure conditions.

Exposure Limits: Triethanolamine 5 mg/m³ ACGIH; no available OSHA data

Personal Protective Equipment (PPE):

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

Skin: If prolonged or repeated skin contact is likely, wear appropriate protective gloves.

Clothing: Selection of protective clothing depends on work conditions, potential exposure conditions and may include gloves, boots, suits and other protective items.

Respirators: Where adequate ventilation is not available an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard, 29 CFR 1920.134. In confined areas, use a self-contained breathing apparatus.

Other Equipment: Eye wash station and shower in close proximity to use are advised.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

Flash Point: 200 °F

Autoignition Temperature: 662 °F

Boiling Point: 374-379 °F

Melting/Freezing Point: 64 °F

Vapor Pressure: < 0.01 mmHg

Vapor Density (Air=1): 5.2

Odor/Appearance: Viscous light yellow liquid with slight ammonia odor

Flammability Limits: Lower: 1.3 Upper: 8.5

Specific Gravity: 1.122

Volatile %: Nil

Evaporation Rate (Water=1): No available data

pH: 10.5 - 11.5 at 149 g/l

Water Solubility: Soluble

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability: Stable under normal use and temperature conditions.

Conditions to Avoid: No published data.

Incompatible materials: Oxidizing materials, acids.

Hazardous Polymerization: Will not occur.

SAFETY DATA SHEET

SECTION 11 - TOXICOLOGICAL INFORMATION

Signs and Symptoms of Overexposure:

Skin: May cause skin irritation with burning pain, itching, and redness.

Eyes: Causes eye irritation with tearing and burning pain. May cause transient corneal injury.

Inhalation: Inhalation of mist may cause respiratory tract irritation.

Ingestion: Causes gastrointestinal tract irritation with nausea, vomiting, and diarrhea.

Acute oral toxicity:

LD50 mouse: 5,846 mg/kg

Acute inhalation toxicity:

No available data

Acute dermal toxicity

LD50 rabbit: > 22.5 g/kg

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity: Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 450 - 1,000 mg/l - 96 h

Bio-accumulative potential: Rapidly biodegradable.

Mobility: No Available Data

SECTION 13 - DISPOSAL CONSIDERATIONS

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

SECTION 14 - TRANSPORTATION

U.S. DEPARTMENT OF TRANSPORTATION (Road or Rail):

Proper Shipping Name: Not a Controlled DOT Material

Hazard Class:

UN Number:

Packaging Group:

SAFETY DATA SHEET

SECTION 15 - REGULATORY INFORMATION

US FEDERAL REGULATIONS

Comprehensive Environmental Response and Liability Act (CERCLA)

This material is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA).

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. The reportable quantity (RQ) for this material has not been established.

Toxic Substance Control Act (TSCA): All components of this product are listed on the TSCA inventory list.

SARA Section 311/312 (40 CFR 370) Hazard Categories:

Chronic Health Hazard

SARA Section 313 (40 CFR 372) Hazard Categories: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances under the CWA.

Clean Air Act: None of the chemicals in this product are listed as Hazardous Substances under the CCA.

California Prop 65: This product contains no chemicals known by the State of California to cause cancer, birth defects or other reproductive harm.

SECTION 16 - OTHER INFORMATION

SDS Revision Date: May 2015

National Fire Protection Association (NFPA) Ratings: This information is intended solely for the use of individuals trained in the NFPA system.

Health: 2

Flammability: 1

Reactivity: 1

The data in this Safety Data Sheet relates to the specific material designated and does not relate to its use in combination with any other material or process. The data contained is believed to be correct. However, since conditions of use are outside our control it should not be taken as warranty or representation for which Chemical Distribution Solutions assumes legal responsibility. This information is provided solely for your consideration, investigation, and verification.